




Válvulas de bola "Basic"

Salida mixta - PE - Sistema Basic® ITEM 209

Ref.	Descripción	P.Neto	Vol. (m ³)	P.Bruto	Lote
1011083	VALVULA ENLACE MIXTA 20-1/2"	0,161	0,01553	6,75	40
1011084	VALVULA ENLACE MIXTA 25-3/4"	0,203	0,02244	8,62	40
1011085	VALVULA ENLACE MIXTA 32-1"	0,351	0,03129	11,10	30
1011086	VALVULA ENLACE MIXTA 40-1 1/4"	0,604	0,03129	12,66	20
1011087	VALVULA ENLACE MIXTA 50-1 1/2"	0,866	0,03129	13,56	15
1011088	VALVULA ENLACE MIXTA 63-2"	1,351	0,03682	14,06	10
1011089	VALVULA ENLACE MIXTA 75-2 1/2"	2,649	0,03129	11,21	4
1011090	VALVULA ENLACE MIXTA 90-3"	4,404	0,02244	9,30	2
1011697	VALVULA ENLACE MIXTA 110-4"	6,240	0,04460	13,32	2





ITEM 209 | Salida mixta - PE - Sistema Basic®

CÓDIGO	f-r	DN	PESO (g)	A	B	C	D	E	F	G	PN	TIPO ROSCA
11083	20-1/2"	15	150	86	51	16	74	88	44	17	PN16	BSP
11084	25-3/4"	20	190	99	58	19	80	94	49	20	PN16	BSP
11085	32-1"	25	314	122	68	23	103	138	66	23	PN16	BSP
11086	40-1 1/4"	32	539	131	84	25	125	160	71	26	PN16	BSP
11087	50-1 1/2"	40	802	155	99	31	138	170	75	33	PN16	BSP
11088	63-2"	50	1320	180	116	38	177	207	89	29	PN16	BSP
11089	75-2 1/2"	65	2670	202	150	45	215	260	119	33	PN10	BSP
11090	90-3"	80	4270	232	178	51	251	271	140	36	PN10	BSP
11697	110-4"	100	5990	267	210	61	307	426	155	42	PN10	BSP



DOCUMENTACIÓN DE PRODUCTO



CERTIFICADOS DE PRODUCTO



CERTIFICADOS DE EMPRESA

